











1. IDENTIFICATION

1.1. Product Name Stemgent® Oct4 Antibody (Affinity Purified), Rabbit anti-Mouse/Human

1.2. Catalog Number

1.3. Uses and restrictions For research use only. Not for use in diagnostic or therapeutic applications.

1.4. Manufacturer/Supplier Stemgent, Inc. 4 Hartwell Place

Lexington, MA 02421 USA

(617) 245-0000

1.5. In Case of Emergency For medical emergencies, contact your local emergency center.

> For transportation emergencies, contact your local transportation authorities.

For other non-medical or non-environmental emergencies please call (617) 245-0030, 8:00 am-4:00 pm EST, Monday - Friday.

2. HAZARDS IDENTIFICATION

2.1. Classification According to 29 CFR 1910.1200(d), hazardous ingredients at less than 1% and

carcinogens at less than 0.1% are considered non hazardous.

2.2. Signal Word Not applicable. 2.3. Symbol Not applicable.

2.4. Hazard Statement(s) Not applicable. 2.5. Precautionary Statement(s) Not applicable.

2.6. Hazards not otherwise None. classified (HNOC) or not

covered by GHS

3. COMPOSITION/INFORMATION ON INGREDIENTS

Stemgent Oct4 Antibody (Affinity Purified), Rabbit anti-Mouse/Human 3.1. Chemical Name

3.2. Synonyms Octamer-4 Antibody, Rabbit anti-Mouse/Human

3.3. Chemical Formula Not available. 3.4. Molecular Weight Not available. 3.5. CAS Number Not available.

HAZARDOUS COMPONENTS WITHIN MIXTURE

Component	CAS-No./EC-No.	Classification	Concentration
Sodium azide	CAS-No:	Acute Tox. (O) 2: H300	0.02%
	26628-22-8	Aquatic (A): 1:H400	
	EC-No:	Aquatic (C): 1:410	
	247-852-1		





AMERICAS • HUMAN TISSUE 9000 Virginia Manor Road, Suite 207 Beltsville, MD 20705, USA Tel: (301) 470-3362 Email: info@bioserve.com www.bioserve.com

AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com



ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info_jp@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Email: info@reinnervate.com www.reinnervate.com



AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Email: info@biopta.com www.biopta.com













4. FIRST AID MEASURES

4.1. First Aid Instructions

General Advice

Eyes

Skin

Ingestion

Inhalation

Puncture Wounds

4.2. Most Important Symptoms/effects, acute and immediate

4.3. Indications of immediate medical attention and special treatment needed Move out of exposure area. Consult a physician.

Check for and remove contact lenses immediately and flush thoroughly with water for at least 15 minutes. Call a physician.

Immediately flush skin with copious amounts of water. Remove contaminated clothing and shoes and wash before use. Contact a physician.

If swallowed, wash mouth out with water provided person is conscious. Do not induce vomiting. Loosen tight clothing. Contact a physician.

If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, call a physician.

Wash thoroughly with soap and water. Allow wound to bleed freely. Contact a physician.

Described in section 2.

No data available.

5. FIRE FIGHTING MEASURES

5.1. Suitable extinguishing media.

5.2. Specific hazards arising from the chemical

5.3. Special protective equipment and precautions for fire-fighters Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

No data available.

Wear self contained breathing apparatus and full turnout gear for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment (see section 8). Avoid breathing vapors, mist, or gas.

6.2. Environmental Precautions

6.3. Methods and materials for containment and clean up

Do not let product enter drain.

Keep in suitable, closed containers for disposal. Use absorbent, non-reactive material to contain liquid spill. Dispose of absorbent material used to clean spills in accordance with federal, state, and local environmental control regulations.





AMERICAS • HUMAN TISSUE 9000 Virginia Manor Road, Suite 207 Beltsville, MD 20705, USA Tel: (301) 470-3362 Email: info@bioserve.com www.bioserve.com

AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com



ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info ip@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Fmail: info@reinnervate.com www.reinnervate.com

∭biopta

AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Fmail: info@biopta.com www.biopta.com













7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
- Avoid inhalation, contact with eyes, skin, and clothing.
- Avoid prolonged or repeated exposure.
- Keep in well-ventilated area.
- For other precautions see section 2.5.
- 7.2. Conditions for safe storage, including any incompatibilities

Store at 4°C. Keep container tightly closed, in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Sodium azide, CAS-No:26628-22-8

- Potential for dermal absorption Sodium azide Exposure Levels
- Ceiling Limit: 0.3 mg/m³ USA. NIOSH Recommended Exposure Limits
- 0.29 mg/m³ USA. ACGIH Threshold Limit Value (TLV)
- 8.2. Appropriate engineering controls
- Safety shower and eye bath. Mechanical exhaust required.
- 8.3. Protection measures and Personal Protective Equipment

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling.

Respiratory Protection

Respiratory protection is not required. Where protection from nuisance exposure is desired use type OV/AG (US) or type ABEK (EU EN 14387) respiratory cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Chemical safety goggles.

- **Eye Protection**
- Protective gloves and lab coat.

9. PHYSICAL/CHEMICAL PROPERTIES

Skin Protection

9.1. Appearance Liquid.

9.2. Odor No data available. 9.3. Odor Threshold No data available.

9.4. pH

No data available. 9.5. Melting point/freezing point 9.6. Initial boiling point and No data available.

boiling range

9.11. Vapor pressure

No data available. 9.7. Flash point 9.8. Evaporation rate No data available. 9.9. Flammability (solid, gas); No data available. 9.10. Upper/lower flammability No data available.

or explosive limits

No data available.





AMERICAS • HUMAN TISSUE 9000 Virginia Manor Road, Suite 207 Beltsville, MD 20705, USA Tel: (301) 470-3362 Email: info@bioserve.com www.bioserve.com

AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com



ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info ip@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Fmail: info@reinnervate.com www.reinnervate.com



AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Fmail: info@biopta.com www.biopta.com











9.12. Vapor density	No data available.
9.13. Relative density	No data available.
9.14. Solubility(ies)	No data available.
9.15. Partition coefficient: n-	No data available.
octanol/water	
9.16. Auto-ignition temperature	No data available.
9.17. Decomposition	No data available.
temperature	
9.18. Viscosity	No data available.
9.19. Explosive properties	No data available.
9.20. Oxidizing properties	No data available.

10. STABILITY/REACTIVITY

10.1. Reactivity	No data available.
10.2. Chemical Stability	This product is stable.
10.3. Possibility of hazardous	No data available.
reactions	
10.4. Conditions to Avoid	No data available.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition	No data available.
products	

11. TOXICOLOGICAL INFORMATION

11 1	Tovico	امعندما	effects	
11.1.	LOXICO	iosicai	errects	

- Acute toxicity
- Skin corrosion/irritation
- Serious eye damage/eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity

Reproductive Toxicity

Carcinogenicity

No data available.

- IARC: No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen.
- ACGIH: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen.
- NTP: No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.
- OSHA: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen.

No data available.



AMERICAS • HUMAN TISSUE 9000 Virginia Manor Road, Suite 207 Beltsville, MD 20705, USA Tel: (301) 470-3362 Email: info@bioserve.com www.bioserve.com

AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com

REPROCELL

ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info_jp@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Email: info@reinnervate.com www.reinnervate.com

Mbiopta

AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Fmail: info@biopta.com www.biopta.com













Specific target organ toxicity No data available.

- single exposure

Specific target organ toxicity No data available.

- repeated exposure

No data available. Aspiration hazard No data available.

11.2. Symptoms related to the physical, chemical and toxicological characteristics

11.3. Effects of Short-Term No data available.

Exposure

11.4. Effects of Long-Term No data available.

Exposure

11.5. Numerical measures of No data available.

toxicity

11.6. Other Information Liver – Irregularities – Based on Human Evidence (Sodium azide).

12. ECOLOGICAL INFORMATION

12.1. Toxicity No data available. No data available. 12.2. Persistence and

degradability

12.3. Bioaccumulative potential No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB No data available.

assessment

12.6. Other adverse effects No data available.

13. DISPOSAL CONSIDERATIONS

13.1. Disposal Method Waste must be disposed of in accordance with federal, state, and local

environmental control regulations.

Refer to section 8. 13.2. Personal safety

14. TRANSPORT INFORMATION

This product is considered non-hazardous for transport.

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313 components This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels.

The following components are subject to reporting levels established by SARA SARA 302 components

Title III, Section 302:

Sodium azide, CAS No. 26628-22-8, Revision Date: 2007-07-01





www.bioserve.com

AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com



ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info_jp@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Email: info@reinnervate.com www.reinnervate.com



AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Email: info@biopta.com www.biopta.com













SARA 311/312 Hazards

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see CFR 61)

Not hazardous.

Does not contain any components subject to reporting.

U.S. State Regulations

California Proposition 65 Massachusetts Right To **Know Components**

Does not contain any components subject to reporting.

Sodium azide, CAS No. 26628-22-8, Revision Date: 2007-07-01

Pennsylvania Right To Know Components

New Jersey Right To Know

Disodium hydrogen orthophosphate, CAS No. 7558-79-4, Revision Date: 2007-03-

Sodium azide, CAS No. 26628-22-8, Revision Date: 2007-07-01

Disodium hydrogen orthophosphate, CAS No. 7558-79-4, Revision Date: 2007-03-

01

Sodium azide, CAS No. 26628-22-8, Revision Date: 2007-07-01

Not controlled under WHMIS (Canada).

16. OTHER INFORMATION

WHMIS Hazard Class

Components

Notice The above information is believed to be correct but does not purport to be all

> inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Stemgent, Inc. shall not be held liable for any damage resulting from handling or from contact with the product. See

Stemgent, Inc. website for terms and conditions of sale.

February 23rd, 2016 **Preparation Date**

Version No. 1.2

Prepared by **Quality Control**

END OF SAFETY DATA SHEET



AMERICAS • HUMAN TISSUE 9000 Virginia Manor Road, Suite 207 Beltsville, MD 20705, USA Tel: (301) 470-3362 Email: info@bioserve.com www.bioserve.com



AMERICAS • REAGENTS 4 Hartwell Place Lexington, MA 02421, USA Tel: (617) 245-0000 Email: info@stemgent.com www.stemgent.com



ASIA PACIFIC KDX Shin-yokohama381 Bldg9F 3-8-11, Shin-yokohama, Kohoku-ku, Yokohama, Kanagawa 222-0033, Japan Tel: +81 45 475 3887 Email: info ip@reprocell.com www.reprocell.com/en



EUROPE NETPark Incubator Thomas Wright Way Sedgefield, Co. Durham TS21 3FD, UNITED KINGDOM Tel: +44 (0)1740 625 266 Fmail: info@reinnervate.com www.reinnervate.com



AMERICAS & EUROPE **HUMAN TISSUE ASSAYS** Weipers Centre, Garscube Estate Bearsden Road, Glasgow G61 1QH United Kingdom Tel: +44 (0)141 330 3831 Email: info@biopta.com www.biopta.com